ELSEVIER

Drug and Alcohol Dependence 59 (2000) 321–322

DRUG and ALCOHOL DEPENDENCE

www.elsevier.com/locate/drugalcdep

Volume contents

Volume 59 (2000)

Volume 59/1

In search of a new pharmacological treatment for drug and alcohol addiction: *N*-methyl-D-aspartate (NMDA) antagonists
A. Bisaga, P. Popik . . . 1
Drug abuse treatment as an HIV prevention strategy: a review
J.L. Sorensen, A.L. Copeland . . . 17
Mood state and recent cocaine use are not associated with levels of cocaine cue reactivity
S.J. Robbins, R.N. Ehrman, A.R. Childress, J.W. Cornish, C.P. O'Brien . . . 33
Comparison of patient self-reports and urinalysis results obtained under naturalistic methadone treatment conditions
S.T. Chermack, J. Roll, M. Reilly, L. Davis, U. Kilaru, J. Grabowski . . . 43
Cocaine self-administration in monkeys: effects on the acquisition and performance of response sequences
P.J. Winsauer, K.R. Silvester, J.M. Moerschbaecher, C.P. France . . . 51
Substance Dependence Severity Scale (SDSS): reliability and validity of a clinician-administered interview for DSM-IV substance use disorders
G.M. Miele, K.M. Carpenter, M. Smith Cockerham, K.D. Trautman, J. Blaine, D.S. Hasin . . . 63
Concurrent and predictive validity of the Substance Dependence Severity Scale (SDSS)
G.M. Miele, K.M. Carpenter, M. Smith Cockerham, K. Dietz Trautman, J. Blaine, D.S. Hasin . . . 77
The suspected association between methamphetamine ('ice') smoking and frequent episodes of alcohol intoxication: data from the 1993 National Household Survey on Drug Abuse
C.D.M. Furr, J. Delva, J.C. Anthony . . . 89
Convulsive status epilepticus following abrupt high-dose benzodiazepine discontinuation
S.D. Gatzonis, E.K. Angelopoulos, E.G. Daskalopoulou, V. Mantouvalos, A. Chioni, C. Zournas, A. Siafakas . . . 95

Calendar of forthcoming meetings . . . 99

Volume 59/2

Genetic studies of substance abuse
M.M. Vanyukov, R.E. Tarter . . . 101
Factors influencing alcohol and illicit drug use amongst medical students
D. Newbury-Birch, M. White, F. Kamali . . . 125
One-year outcome of adolescent females referred for conduct disorder and substance abuse/dependence
E.A. Whitmore, S.K. Mikulich, K.M. Ehlers, T.J. Crowley . . . 131
Comparative neurobiological effects of ibogaine and MK-801 in rats
M.H. Baumann, R.B. Rothman, S.F. Ali . . . 143
Significant interaction between clozapine and cocaine in cocaine addicts
C.K. Farren, F.A. Hameedi, M.A. Rosen, S. Woods, P. Jatlow, T.R. Kosten . . . 153
Gender differences in acculturation and aggression as predictors of drug use in minorities
S. Orozco, S. Lukas . . . 165
Inter-rater reliability of the SCID alcohol and substance use disorders section among adolescents
C.S. Martin, N.K. Pollock, O.G. Bukstein, K.G. Lynch . . . 173
Generalizability of Project Match: a comparison of clients enrolled to those not enrolled in the study at one aftercare site
M.M. Velasquez, C.C. DiClemente, R.C. Addy . . . 177
Naltrexone and lofexidine combination treatment compared with conventional lofexidine treatment for in-patient opiate detoxification
N. Buntwal, J. Bearn, M. Gossop, J. Strang . . . 183
Validation of the Christo Inventory for Substance-misuse Services (CISS): a simple outcome evaluation tool
G. Christo, S. Spurrell, R. Alcorn . . . 189
Alcohol consumption amongst South African farm workers: a challenge for post-apartheid health sector transformation
L. London . . . 199

The DOP system: a manifestation of social exclusion. A personal commentary on 'Alcohol consumption amongst South African farm workers: a post-apartheid challenge, by L. London 1999'
I.B. Crome, Y. Glass 207

Calendar of forthcoming meetings 209

Volume 59/3

Remissions from drug dependence: is treatment a prerequisite?
J.A. Cunningham 211
Baseline prediction of 7-month cocaine abstinence for cocaine dependence patients
A.I. Alterman, J.R. McKay, F.D. Mulvaney, A. Cnaan, J.S. Cacciola, K.A. Tourian, M.J. Rutherford, E.P. Merikle 215
A controlled trial of daily versus thrice-weekly buprenorphine administration for the treatment of opioid dependence
J. Pérez de los Cobos, S. Martin, A. Etcheberrigaray, J. Trujols, F. Batlle, A. Tejero, J.M. Queraltó, M. Casas. 223
Drinking as a risk factor for sustained smoking
D.A. Dawson 235
Naltrexone does not block the subjective effects of oral Δ^9-tetrahydrocannabinol in humans
S.R. Wachtel, H. de Wit 251
Antinociceptive, subjective and behavioral effects of smoked marijuana in humans
M.K. Greenwald, M.L. Stitzer 261
Acute and protracted cocaine abstinence in an outpatient population: A prospective study of mood, sleep and withdrawal symptoms
S.F. Coffey, B.S. Dansky, M.H. Carrigan, K.T. Brady 277
Combined use of trazodone-naltrexone versus clonidine-naltrexone in rapid withdrawal from methadone treatment. A comparative inpatient study
G. Pozzi, G. Conte, S. De Risio 287
Nutritional assessment in alcoholic patients. Its relationship with alcoholic intake, feeding habits, organic complications and social problems
F. Santolaria, J.L. Pérez-Manzano, A. Milena, E. González-Reimers, M.A. Gómez-Rodríguez, A. Martínez-Riera, M.R. Alemán-Valls, M.J. de la Vega-Prieto 295
Early-onset of illicit substance use is associated with greater axis-II comorbidity, not with axis-I comorbidity
I.H.A. Franken, V.M. Hendriks 305
One year follow-up of cannabis dependence among long-term users in Sydney, Australia
W. Swift, W. Hall, J. Copeland. 309

Calendar of forthcoming meetings 319

Volume Contents 321